

FIRST REGULAR SESSION
HOUSE COMMITTEE SUBSTITUTE FOR
HOUSE BILL NO. 266
96TH GENERAL ASSEMBLY

0806L.03C

D. ADAM CRUMBLISS, Chief Clerk

AN ACT

To repeal section 304.180, RSMo, and to enact in lieu thereof one new section relating to weight limitations for vehicles hauling livestock and agricultural products.

Be it enacted by the General Assembly of the state of Missouri, as follows:

Section A. Section 304.180, RSMo, is repealed and one new section enacted in lieu thereof, to be known as section 304.180, to read as follows:

304.180. 1. No vehicle or combination of vehicles shall be moved or operated on any highway in this state having a greater weight than twenty thousand pounds on one axle, no combination of vehicles operated by transporters of general freight over regular routes as defined in section 390.020 shall be moved or operated on any highway of this state having a greater weight than the vehicle manufacturer's rating on a steering axle with the maximum weight not to exceed twelve thousand pounds on a steering axle, and no vehicle shall be moved or operated on any state highway of this state having a greater weight than thirty-four thousand pounds on any tandem axle; the term "tandem axle" shall mean a group of two or more axles, arranged one behind another, the distance between the extremes of which is more than forty inches and not more than ninety-six inches apart.

2. An "axle load" is defined as the total load transmitted to the road by all wheels whose centers are included between two parallel transverse vertical planes forty inches apart, extending across the full width of the vehicle.

3. Subject to the limit upon the weight imposed upon a highway of this state through any one axle or on any tandem axle, the total gross weight with load imposed by any group of two or more consecutive axles of any vehicle or combination of vehicles shall not exceed the maximum load in pounds as set forth in the following table:

Distance in feet

EXPLANATION — Matter enclosed in bold-faced brackets [thus] in the above bill is not enacted and is intended to be omitted from the law. Matter in **bold-face** type in the above bill is proposed language.

19 between the extremes
 20 of any group of two or
 21 more consecutive axles,
 22 measured to the nearest
 23 foot, except where
 24 indicated otherwise

		Maximum load in pounds				
25 feet	2 axles	3 axles	4 axles	5 axles	6 axles	
26 4	34,000					
27 5	34,000					
28 6	34,000					
29 7	34,000					
30 8	34,000	34,000				
31 More than 8	38,000	42,000				
32 9	39,000	42,500				
33 10	40,000	43,500				
34 11	40,000	44,000				
35 12	40,000	45,000	50,000			
36 13	40,000	45,500	50,500			
37 14	40,000	46,500	51,500			
38 15	40,000	47,000	52,000			
39 16	40,000	48,000	52,500	58,000		
40 17	40,000	48,500	53,500	58,500		
41 18	40,000	49,500	54,000	59,000		
42 19	40,000	50,000	54,500	60,000		
43 20	40,000	51,000	55,500	60,500	66,000	
44 21	40,000	51,500	56,000	61,000	66,500	
45 22	40,000	52,500	56,500	61,500	67,000	
46 23	40,000	53,000	57,500	62,500	68,000	
47 24	40,000	54,000	58,000	63,000	68,500	
48 25	40,000	54,500	58,500	63,500	69,000	
49 26	40,000	55,500	59,500	64,000	69,500	
50 27	40,000	56,000	60,000	65,000	70,000	
51 28	40,000	57,000	60,500	65,500	71,000	
52 29	40,000	57,500	61,500	66,000	71,500	
53 30	40,000	58,500	62,000	66,500	72,000	
54 31	40,000	59,000	62,500	67,500	72,500	

55	32	40,000	60,000	63,500	68,000	73,000
56	33	40,000	60,000	64,000	68,500	74,000
57	34	40,000	60,000	64,500	69,000	74,500
58	35	40,000	60,000	65,500	70,000	75,000
59	36		60,000	66,000	70,500	75,500
60	37		60,000	66,500	71,000	76,000
61	38		60,000	67,500	72,000	77,000
62	39		60,000	68,000	72,500	77,500
63	40		60,000	68,500	73,000	78,000
64	41		60,000	69,500	73,500	78,500
65	42		60,000	70,000	74,000	79,000
66	43		60,000	70,500	75,000	80,000
67	44		60,000	71,500	75,500	80,000
68	45		60,000	72,000	76,000	80,000
69	46		60,000	72,500	76,500	80,000
70	47		60,000	73,500	77,500	80,000
71	48		60,000	74,000	78,000	80,000
72	49		60,000	74,500	78,500	80,000
73	50		60,000	75,500	79,000	80,000
74	51		60,000	76,000	80,000	80,000
75	52		60,000	76,500	80,000	80,000
76	53		60,000	77,500	80,000	80,000
77	54		60,000	78,000	80,000	80,000
78	55		60,000	78,500	80,000	80,000
79	56		60,000	79,500	80,000	80,000
80	57		60,000	80,000	80,000	80,000

81

82 Notwithstanding the above table, two consecutive sets of tandem axles may carry a gross load
83 of thirty-four thousand pounds each if the overall distance between the first and last axles of such
84 consecutive sets of tandem axles is thirty-six feet or more.

85 4. Whenever the state highways and transportation commission finds that any state
86 highway bridge in the state is in such a condition that use of such bridge by vehicles of the
87 weights specified in subsection 3 of this section will endanger the bridge, or the users of the
88 bridge, the commission may establish maximum weight limits and speed limits for vehicles using
89 such bridge. The governing body of any city or county may grant authority by act or ordinance
90 to the state highways and transportation commission to enact the limitations established in this

91 section on those roadways within the purview of such city or county. Notice of the weight limits
92 and speed limits established by the commission shall be given by posting signs at a conspicuous
93 place at each end of any such bridge.

94 5. Nothing in this section shall be construed as permitting lawful axle loads, tandem axle
95 loads or gross loads in excess of those permitted under the provisions of Section 127 of Title 23
96 of the United States Code.

97 6. Notwithstanding the weight limitations contained in this section, any vehicle or
98 combination of vehicles operating on highways other than the interstate highway system may
99 exceed single axle, tandem axle and gross weight limitations in an amount not to exceed two
100 thousand pounds. However, total gross weight shall not exceed eighty thousand pounds, except
101 as provided in subsection 9 of this section.

102 7. Notwithstanding any provision of this section to the contrary, the department of
103 transportation shall issue a single-use special permit, or upon request of the owner of the truck
104 or equipment, shall issue an annual permit, for the transporting of any concrete pump truck or
105 well-drillers' equipment. The department of transportation shall set fees for the issuance of
106 permits pursuant to this subsection. Notwithstanding the provisions of section 301.133, concrete
107 pump trucks or well-drillers' equipment may be operated on state-maintained roads and highways
108 at any time on any day.

109 8. Notwithstanding the provision of this section to the contrary, the maximum gross
110 vehicle limit and axle weight limit for any vehicle or combination of vehicles equipped with an
111 idle reduction technology may be increased by a quantity necessary to compensate for the
112 additional weight of the idle reduction system as provided for in 23 U.S.C. Section 127, as
113 amended. In no case shall the additional weight increase allowed by this subsection be greater
114 than four hundred pounds. Upon request by an appropriate law enforcement officer, the vehicle
115 operator shall provide proof that the idle reduction technology is fully functional at all times and
116 that the gross weight increase is not used for any purpose other than for the use of idle reduction
117 technology.

118 9. Notwithstanding subsection 3 of this section or any other provision of law to the
119 contrary, the total gross weight of any vehicle or combination of vehicles hauling livestock **or**
120 **agricultural products** may be as much as, but shall not exceed, eighty-five thousand five
121 hundred pounds [while operating on U.S. Highway 36 from St. Joseph to U.S. Highway 65, and
122 on U.S. Highway 65 from the Iowa state line to U.S. Highway 36]. **The provisions of this**
123 **subsection, however, shall not apply to vehicles operated on the Dwight D. Eisenhower**
124 **System of Interstate and Defense Highways.**